

IN THE CLAIMS

Please amend the claims as follows:

1-12. (Cancelled)

13. (Currently Amended) A method of communicating updates from a subject to an observer, comprising:

in an observer, ~~generating instructions to create~~ creating an aspect object, ~~the aspect object comprising logic adapted selectively communicate update information from a subject to the observer based on;~~ communicating configuration information ~~from the observer to the aspect object~~, the configuration information comprising an attribute of the observer;

attaching the aspect object to ~~a~~ the subject;

notifying the aspect object of an update;

in the aspect object, interrogating the update to generate ~~to generate~~ the update information; and

selectively communicating the update information to the observer based on a comparison between the update ~~information~~ and the configuration information.

14. (Previously Presented) The method of claim 13, further comprising selectively modifying the update information based on a comparison between the update and the configuration information.

15. (Currently Amended) The method of claim 13, further comprising selectively accumulating the update information based on the configuration information.

16. (Previously Presented) The method of claim 13, further comprising sending updated configuration information from the observer to the aspect object, wherein the updated configuration information comprises an updated attribute of the observer.

17. (Previously Presented) The method of claim 16, wherein the updated attribute of the observer includes a system load indication.

18-22. (Cancelled)

23. (Currently Amended) A method of maintaining data consistency between a subject object on a first computer system and an observer object on a second computer system, comprising:

- 1) ~~in~~ by an observer object, ~~generating instructions to create~~ creating an aspect object, ~~the aspect object comprising logic adapted selectively communicate update information from a subject object to the observer based on;~~ b) communicating configuration information from the observer object to the aspect object, the configuration information comprising a desired type indicator and a desired communication rate indicator;
- ~~c) b)~~ attaching the aspect object to the subject object; and
- ~~d) c)~~ in response to a state change indication from the subject object:
 - 1) sending an update to the aspect object;
 - 2) by the aspect object, interrogating the update to generate an update type indicator;
 - 3) by the aspect object, modifying the update based on a comparison between the update type indicator and the desired type indicator to produce a modified update;
 - 4) by the aspect object, sending the modified update to an accumulator;
 - 5) by the aspect object, using the desired communication rate indicator to determine whether the object is ready to receive the modified update; and
 - 6) communicating the modified update to the observer.

24. (Cancelled)

25. (Previously Presented) The method of claim 13, wherein subject comprises an object and wherein the observer comprises an object.

26. (Cancelled)

Please add the following new claims:

28. (New) The method of claim 13, wherein the configuration information comprises a type of updates desired indication.

28. (New) The method of claim 27, wherein the aspect object selectively discards the update information in response to the type of updates desired indication.

29. (New) The method of claim 13, wherein the attribute of the observer includes a maximum desired communication rate indication.

30. (New) The method of claim 29, further comprising an accumulating the update information if a required communication rate is greater than the maximum desired communication rate indication.

31. (New) The method of claim 13, further comprising preprocessing the update to selectively modify the update information in response to the configuration information.

32. (New) The method of claim 31, wherein the preprocessing comprises encapsulating the update with Internet routing information.

33. (New) The method of claim 31, wherein the preprocessing comprises compressing the message.

34. (New) The method of claim 31, wherein the preprocessing comprises encrypting the message.
35. (New) The method of claim 31, wherein the preprocessing comprises calculating a related value.
36. (New) The method of claim 13, further comprising, in the subject, providing a set of attach/detach methods that enable the observer to attach the aspect object to and detach the aspect object from the subject.